

## "C" Factor Values for Kansas Crops

Crop: **Corn Grain**

Zone: **89A**

### Fall Mulch\*

Percent Ground Cover After Planting

Corn Grain, After	0	10	20	30	40	50	60	70
Alfalfa	.24	.21	.18	.16	.13	.12	.10	.09
Corn	.34	.28	.23	.19	.16	.14	.11	.09
Corn Silage	.53	.41	.31	.23	.18			
Drilled Beans	.39	.32	.26	.22	.18			
Grain Sorghum	.27	.23	.19	.16	.14	.11	.10	.08
Oats	.36	.29	.23	.18	.15	.12	.09	.08
Sorghum/Sudan	.42	.35	.29	.24	.20			
Soybeans	.39	.31	.24	.19	.15			
Sunflowers	.32	.26	.20	.16	.13			
Wheat	.29	.24	.19	.15	.12	.10	.08	.06

\* First primary tillage operation performed in the fall.

### Spring Mulch\*\*

Percent Ground Cover After Planting

Corn Grain, After	0	10	20	30	40	50	60	70
Alfalfa	.18	.16	.14	.13	.11	.10	.09	.08
Corn	.35	.30	.25	.21	.18	.15	.13	.11
Corn Silage	.56	.46	.37	.30	.25			
Drilled Beans	.35	.30	.26	.23	.19			
Grain Sorghum	.29	.25	.21	.18	.16	.13	.11	.10
Oats	.36	.29	.24	.20	.16	.13	.11	.09
Sorghum/Sudan	.45	.38	.31	.26	.22			
Soybeans	.42	.36	.31	.27	.23			
Sunflowers	.33	.29	.25	.21	.19			
Wheat	.30	.24	.20	.16	.13	.10	.08	.07

\*\*First primary tillage operation performed in the spring.

### Other Tillage Types

Corn Grain, After	FP	SP	NT
Alfalfa	.25	.20	.04
Corn	.36	.38	.12
Corn Silage	.54	.59	.32
Drilled Beans	.39	.37	.17
Grain Sorghum	.30	.33	.10
Oats	.43	.40	.14
Sorghum/Sudan	.44	.47	.32
Soybeans	.41	.43	.20
Sunflowers	.34	.37	.16
Wheat	.35	.34	.08

FP = Fall Plow

SP = Spring Plow

NT = No-till

Table provides cover factor ("C") for crop to be planted into selected residue levels of the prior crop, i.e. corn silage after oats.

## "C" Factor Values for Kansas Crops

Crop: **Corn Silage**

Zone: **89A**

### Fall Mulch\*

Percent Ground Cover After Planting

Corn Silage, After	0	10	20	30	40	50	60	70
Alfalfa	.24	.20	.17	.15	.13	.11	.09	.08
Corn	.28	.23	.19	.15	.12	.10	.08	.07
Corn Silage	.49	.39	.32	.26	.21			
Drilled Beans								
Grain Sorghum	.26	.22	.19	.16	.13	.11	.09	.08
Oats	.30	.24	.19	.15	.12	.10	.08	.06
Sorghum/Sudan	.40	.34	.29	.25	.21			
Soybeans	.33	.25	.20	.15	.12			
Sunflowers	.26	.21	.16	.13	.10			
Wheat	.25	.19	.15	.12	.09	.07	.06	.05

\* First primary tillage operation performed in the fall.

### Spring Mulch\*\*

Percent Ground Cover After Planting

Corn Silage, After	0	10	20	30	40	50	60	70
Alfalfa	.13	.12	.10	.09	.08	.07	.06	.06
Corn	.26	.21	.17	.14	.12	.10	.08	.07
Corn Silage	.49	.41	.34	.28	.23			
Drilled Beans	.34	.29	.25	.22	.19			
Grain Sorghum	.25	.21	.18	.15	.13	.11	.09	.08
Oats	.28	.23	.18	.15	.12	.10	.08	.07
Sorghum/Sudan	.39	.34	.30	.26	.22			
Soybeans	.32	.26	.22	.19	.16			
Sunflowers	.25	.21	.17	.14	.12			
Wheat	.22	.18	.14	.11	.09	.07	.06	.05

\*\*First primary tillage operation performed in the spring.

### Other Tillage Types

Corn Silage, After	FP	SP	NT
Alfalfa	.22	.15	.03
Corn	.30	.28	.08
Corn, Silage	.49	.48	.31
Drilled Beans	.37	.35	.17
Grain Sorghum	.29	.28	.09
Oats	.37	.31	.11
Sorghum/Sudan	.41	.41	.23
Soybeans	.34	.33	.16
Sunflowers	.28	.28	.12
Wheat	.30	.25	.05

FP = Fall Plow

SP = Spring Plow

NT = No-till

Table provides cover factor ("C") for crop to be planted into selected residue levels of the prior crop, i.e. corn silage after oats.



## "C" Factor Values for Kansas Crops

Crop: **Drilled Beans**

Zone: **89A**

### Fall Mulch\*

Percent Ground Cover After Planting

Drilled Beans, After	0	10	20	30	40	50	60	70
Alfalfa	.16	.13	.11	.09	.07	.06	.05	.04
Corn	.26	.21	.17	.13	.11	.09	.07	.05
Corn Silage								
Drilled Beans	.28	.22	.17	.13	.10			
Grain Sorghum	.21	.17	.13	.11	.08	.07	.05	.04
Oats	.28	.22	.17	.13	.11	.08	.07	.05
Sorghum/Sudan	.34	.28	.23	.19	.15			
Soybeans								
Sunflowers	.23	.18	.14	.11	.08			
Wheat	.22	.17	.14	.11	.09	.07	.05	.04

\* First primary tillage operation performed in the fall.

### Spring Mulch\*\*

Percent Ground Cover After Planting

Drilled Beans, After	0	10	20	30	40	50	60	70
Alfalfa	.15	.13	.11	.09	.07	.06	.05	.04
Corn	.23	.19	.16	.13	.11	.09	.08	.07
Corn Silage	.41	.37	.33	.29	.26			
Drilled Beans	.27	.22	.18	.14	.12			
Grain Sorghum	.19	.16	.13	.11	.09	.07	.06	.05
Oats	.24	.20	.17	.14	.11	.09	.08	.06
Sorghum/Sudan	.34	.29	.24	.21	.18			
Soybeans								
Sunflowers	.22	.18	.15	.12	.10			
Wheat	.20	.16	.13	.11	.09	.07	.06	.05

\*\*First primary tillage operation performed in the spring.

### Other Tillage Types

Drilled Beans, After	FP	SP	NT
Alfalfa	.18	.17	.05
Corn	.28	.26	.07
Corn, Silage	.42	.42	.24
Drilled Soybeans	.31	.30	.09
Grain Sorghum	.23	.21	.05
Oats	.35	.27	.09
Sorghum/Sudan	.41	.34	.16
Sunflowers	.40	.24	.08
Wheat	.24	.23	.04

FP = Fall Plow

SP = Spring Plow

NT = No-till

Table provides cover factor ("C") for crop to be planted into selected residue levels of the prior crop, i.e. corn silage after oats.

## "C" Factor Values for Kansas Crops

Crop: **Sorghum Silage**  
Zone: **89A**

### Fall Mulch\*

Percent Ground Cover After Planting

Sorghum Silage, After	0	10	20	30	40	50	60	70
Alfalfa								
Corn	.36	.28	.21	.16	.12	.09	.07	.05
Corn Silage	.48	.42	.36	.31	.26			
Drilled Beans	.37	.26	.18	.13	.09			
Grain Sorghum	.30	.23	.17	.13	.10	.07	.06	.04
Oats	.39	.29	.21	.16	.12	.09	.06	.05
Sorghum/Sudan	.49	.38	.29	.23	.18			
Soybeans	.45	.30	.20	.13	.09			
Sunflowers	.35	.27	.21	.17	.13			
Wheat	.31	.23	.18	.13	.10	.08	.06	.04

\* First primary tillage operation performed in the fall.

### Spring Mulch\*\*

Percent Ground Cover After Planting

Sorghum Silage, After	0	10	20	30	40	50	60	70
Alfalfa								
Corn	.23	.19	.16	.13	.10	.08	.07	.06
Corn Silage	.49	.41	.35	.30	.25			
Drilled Beans	.37	.28	.22	.17	.13			
Grain Sorghum	.20	.16	.13	.11	.09	.07	.06	.05
Oats	.26	.21	.17	.14	.11	.09	.07	.06
Sorghum/Sudan	.34	.29	.24	.20	.16			
Soybeans	.30	.24	.20	.16	.13			
Sunflowers	.23	.19	.16	.13	.11			
Wheat	.20	.16	.13	.10	.08	.07	.05	.04

\*\*First primary tillage operation performed in the spring.

### Other Tillage Types

Sorghum Silage, After	FP	SP	NT
Corn	.42	.27	.16
Corn Silage	.50	.49	.32
Drilled Beans	.39	.37	.11
Grain Sorghum	.35	.23	.15
Oats	.50	.29	.16
Sorghum/Sudan	.52	.36	.41
Soybeans	.49	.32	.27
Sunflowers	.40	.26	.21
Wheat	.40	.24	.09

FP = Fall Plow

SP = Spring Plow

NT = No-till

Table provides cover factor ("C") for crop to be planted into selected residue levels of the prior crop, i.e. corn silage after oats.



## "C" Factor Values for Kansas Crops

Crop: **Grain Sorghum**

Zone: **89A**

### Fall Mulch\*

Percent Ground Cover After Planting

Grain Sorghum, After	0	10	20	30	40	50	60	70
Alfalfa								
Corn	.37	.28	.22	.16	.13	.10	.07	.06
Corn Silage	.50	.35	.25	.17	.12			
Drilled Beans	.43	.29	.19	.13	.08			
Grain Sorghum	.31	.23	.18	.14	.11	.08	.06	.05
Oats	.39	.29	.22	.16	.12	.09	.07	.05
Sorghum/Sudan	.49	.36	.26	.19	.14			
Soybeans	.46	.30	.19	.13	.08			
Sunflowers	.38	.23	.14	.08	.05			
Wheat	.31	.23	.17	.13	.10	.08	.06	.04

\* First primary tillage operation performed in the fall.

### Spring Mulch\*\*

Percent Ground Cover After Planting

Grain Sorghum, After	0	10	20	30	40	50	60	70
Alfalfa								
Corn	.24	.20	.16	.14	.11	.09	.08	.06
Corn Silage	.48	.38	.31	.24	.19			
Drilled Beans	.35	.28	.22	.17	.14			
Grain Sorghum	.20	.17	.14	.11	.09	.08	.06	.05
Oats	.26	.21	.17	.14	.11	.09	.07	.06
Sorghum/Sudan	.34	.28	.23	.19	.16			
Soybeans	.30	.25	.20	.17	.14			
Sunflowers	.24	.20	.16	.13	.11			
Wheat	.20	.16	.13	.10	.08	.07	.05	.04

\*\*First primary tillage operation performed in the spring.

### Other Tillage Types

Grain Sorghum, After	FP	SP	NT
Corn, dryland	.43	.27	.12
Corn, Silage	.51	.50	.29
Drilled Beans	.41	.39	.17
Grain Sorghum	.36	.24	.11
Oats	.50	.30	.14
Sorghum/Sudan	.51	.36	.36
Soybeans	.49	.33	.23
Sunflowers	.41	.33	.18
Wheat	.41	.24	.08

FP = Fall Plow

SP = Spring Plow

NT = No-till

Table provides cover factor ("C") for crop to be planted into selected residue levels of the prior crop, i.e. corn silage after oats.

## "C" Factor Values for Kansas Crops

**Crop: Oats**

**Zone: 89A**

### Fall Mulch\*

	Percent Ground Cover After Planting							
Oats, After	0	10	20	30	40	50	60	70
Alfalfa								
Corn	.10	.08	.07	.06	.05	.04	.03	.03
Corn Silage	.25	.17	.11	.07	.05			
Drilled Beans	.13	.10	.08	.07	.05			
Grain Sorghum	.08	.06	.05	.04	.03	.03	.02	.02
Oats	.13	.10	.08	.07	.05	.04	.04	.03
Sorghum/Sudan	.16	.13	.10	.08	.06			
Soybeans	.12	.10	.08	.06	.05			
Sunflowers	.09	.08	.06	.05	.04			
Wheat	.13	.10	.08	.06	.05	.04	.03	.02

\* First primary tillage operation performed in the fall.

### Spring Mulch\*\*

	Percent Ground Cover After Planting							
Oats, After	0	10	20	30	40	50	60	70
Alfalfa								
Corn	.09	.07	.06	.05	.04	.03	.03	.02
Corn Silage	.26	.19	.13	.10	.07			
Drilled Beans	.12	.10	.08	.07	.05			
Grain Sorghum	.07	.06	.05	.04	.03	.03	.02	.02
Oats	.11	.09	.08	.07	.05	.05	.04	.03
Sorghum/Sudan	.15	.12	.10	.08	.07			
Soybeans	.11	.09	.08	.06	.05			
Sunflowers	.09	.07	.06	.05	.04			
Wheat	.09	.08	.06	.05	.04	.03	.03	.02

\*\*First primary tillage operation performed in the spring.

### Other Tillage Types

Oats, After	FP	SP	NT
Corn, dryland	.19	.10	.03
Corn, Silage	.26	.26	.13
Drilled Beans	.14	.13	.06
Grain Sorghum	.09	.08	.02
Oats	.15	.14	.05
Sorghum/Sudan	.18	.16	.09
Soybeans	.13	.12	.06
Sunflower	.11	.10	.04
Wheat	.20	.11	.03

FP = Fall Plow

SP = Spring Plow

NT = No-till

Table provides cover factor ("C") for crop to be planted into selected residue levels of the prior crop, i.e. corn silage after oats.



## "C" Factor Values for Kansas Crops

Crop: Soybeans

Zone: 89A

### Fall Mulch\*

#### Percent Ground Cover After Planting

Soybeans, After	0	10	20	30	40	50	60	70
Alfalfa	.23	.19	.16	.13	.10	.09	.07	.06
Corn	.34	.28	.22	.18	.14	.11	.09	.07
Corn Silage	.57	.45	.36	.29	.24			
Drilled Beans								
Grain Sorghum	.28	.22	.18	.15	.12	.10	.08	.06
Oats	.36	.29	.23	.18	.14	.11	.09	.07
Sorghum/Sudan	.44	.35	.29	.23	.19			
Soybeans	.40	.32	.25	.20	.16			
Sunflowers	.33	.25	.19	.15	.12			
Wheat	.30	.24	.19	.14	.11	.09	.07	.05

\* First primary tillage operation performed in the fall.

### Spring Mulch\*\*

#### Percent Ground Cover After Planting

Soybeans, After	0	10	20	30	40	50	60	70
Alfalfa	.21	.18	.15	.12	.10	.09	.07	.06
Corn	.22	.19	.16	.14	.12	.10	.09	.07
Corn Silage	.56	.47	.39	.32	.27			
Drilled Beans								
Grain Sorghum	.24	.20	.17	.14	.12	.10	.08	.07
Oats	.33	.27	.22	.18	.14	.12	.09	.08
Sorghum/Sudan	.43	.36	.30	.25	.21			
Soybeans	.38	.31	.25	.21	.17			
Sunflowers	.30	.25	.21	.18	.15			
Wheat	.25	.21	.17	.14	.11	.09	.07	.06

\*\*First primary tillage operation performed in the spring.

### Other Tillage Types

Soybeans, After	FP	SP	NT
Alfalfa	.25	.24	.06
Corn, dryland	.38	.34	.07
Corn, Silage	.57	.56	.32
Grain Sorghum	.30	.29	.06
Oats	.44	.37	.10
Sorghum/Sudan	.46	.44	.29
Soybeans	.43	.40	.14
Sunflowers	.35	.34	.10
Wheat	.36	.30	.05

FP = Fall Plow

SP = Spring Plow

NT = No-till

Table provides cover factor ("C") for crop to be planted into selected residue levels of the prior crop, i.e. corn silage after oats.

## "C" Factor Values for Kansas Crops

**Crop: Sunflowers**

**Zone: 89A**

<b>Fall Mulch*</b>		Percent Ground Cover After Planting						
Sunflowers, After	0	10	20	30	40	50	60	70
Alfalfa								
Corn	.36	.29	.23	.18	.14	.11	.09	.07
Corn Silage	.60	.47	.36	.28	.22			
Drilled Beans								
Grain Sorghum	.30	.24	.19	.15	.12	.10	.08	.06
Oats	.31	.24	.18	.14	.11	.09	.07	.05
Sorghum/Sudan	.48	.37	.28	.22	.17			
Soybeans	.45	.30	.21	.14	.10			
Sunflowers	.37	.24	.15	.10	.06			
Wheat	.38	.29	.22	.17	.13	.10	.08	.06

\* First primary tillage operation performed in the fall.

<b>Spring Mulch**</b>		Percent Ground Cover After Planting						
Sunflowers, After	0	10	20	30	40	50	60	70
Alfalfa								
Corn	.30	.25	.21	.17	.14	.12	.10	.08
Corn Silage	.61	.47	.37	.28	.22			
Drilled Beans								
Grain Sorghum	.26	.22	.18	.15	.12	.10	.08	.07
Oats	.32	.26	.21	.17	.14	.11	.09	.07
Sorghum/Sudan	.46	.37	.29	.24	.19			
Soybeans	.40	.32	.25	.20	.16			
Sunflowers	.33	.26	.21	.17	.13			
Wheat								

\*\*First primary tillage operation performed in the spring.

### Other Tillage Types

Sunflowers, After	FP	SP	NT
Corn	.30	.35	.11
Corn Silage	.38	.44	.33
Drilled Beans	.35	.41	.12
Grain Sorghum	.27	.30	.10
Oats	.34	.32	.12
Sorghum/Sudan	.36	.34	.28
Soybeans	.36	.42	.15
Sunflowers	.30	.35	.15
Wheat	.32	.30	.07

FP = Fall Plow

SP = Spring Plow

NT = No-till

Table provides cover factor ("C") for crop to be planted into selected residue levels of the prior crop, i.e. corn silage after oats.



## C Factor Values for Kansas Crops

Crop: **Winter Whea**

Zone: 89A

### Fall Mulch\*

Percent Ground Cover After Planting

Winter Wheat, After	0	10	20	30	40	50	60	70
Alfalfa								
Corn	.09	.07	.06	.05	.04	.03	.03	.02
Corn Silage								
Drilled Beans								
Grain Sorghum	.07	.05	.04	.04	.03	.02	.02	.02
Oats								
Sorghum/Sudan								
Soybeans	.11	.09	.07	.06	.05			
Summer Fallow	.17	.12	.08	.05	.04			
Sunflowers	.08	.06	.05	.04	.03			

Wheat

### Spring Mulch\*\*

Percent Ground Cover After Planting

Winter Wheat, After	0	10	20	30	40	50	60	70
Alfalfa	.06	.05	.04	.04	.03	.02	.02	.02
Corn								
Corn Silage	.20	.15	.11	.09	.07			
Drilled Beans								
Grain Sorghum								
Oats								
Sorghum/Sudan	.14	.11	.09	.07	.05			
Soybeans								
Sunflowers								
Wheat	.10	.08	.06	.05	.04	.03	.02	.02

\*\*First primary tillage operation performed in the spring.

### Other Tillage Types

Winter Wheat, After	FP	SP	NT
Alfalfa	.07		.02
Corn	.11	.09	.01
Corn Silage	.20	.20	.07
Grain Sorghum	.08	.08	.01
Sorghum/Sudan	.15	.14	.05
Soybeans	.11	.11	.02
Sunflowers	.09	.09	.02
Wheat	.13	.12	.01

FP Fall Plow

SP Spring Plow

NT No till

provides cover factor ("C") for

be planted into selected residue levels of the prior

silage after oats